

ITALIAN STYLE MADE IN THE USA  
**Dolce**Italia

*Venatura Collection*

Dolce Italia porcelain tiles embody the expertise and beauty of Italian porcelain tile, transplanted into the US to obtain a product that is superior in style and quality.

Venatura is a porcelain replica of a modern wood-look in extra-large planks. The collection's versatile color palette includes five stylish hues with a cleaner grain to achieve a more subtle variation. Venatura combines the warmth of the wood with an upscale contemporary feel, while its longer, wider planks make any room look larger and more open.





FLOOR - bark 12"x72"

DolceItalia

*Ventatura Frost*



12"x72"  
honed  
**DIG1272110**

All sizes are nominal  
Printed and monitor color reproductions may vary from actual tile color

DolceItalia

*Venatura Acorn*



12"x72"  
honed  
**DIG1272108**

All sizes are nominal  
Printed and monitor color reproductions may vary from actual tile color

DolceItalia

*Venatura Nest*



12"x72"  
honed  
DIG1272112

All sizes are nominal  
Printed and monitor color reproductions may vary from actual tile color

DolceItalia

*Venatura Meadow*



12"x72"  
honed  
**DIG1272111**

All sizes are nominal  
Printed and monitor color reproductions may vary from actual tile color

DolceItalia

*Venatura Bark*



12"x72"  
honed  
**DIG1272109**

All sizes are nominal  
Printed and monitor color reproductions may vary from actual tile color





FLOOR - nest 12"x72"



FLOOR - acorn 12"x72"

## Venatura Collection Physical Properties

PHYSICAL PROPERTIES	ASTM TEST	INDUSTRY STANDARDS	DOLCE ITALIA RESULTS
Water Absorption	C373	Impervious < 0.5%	≤ 0.1%
Thickness Dimension	C499	Range ±0.04 Inc. Max	≤ ± 0.04 Inc.
Facial Dimension	C499	±0.25%	≤ ± 0.25%.
Warpage Average Diagonal	C485	±0.40%	≤ ± 0.40%.
Warpage Average Edge	C485	±0.40%	≤ ± 0.40%.
Wedging Average	C502	±0.25%	≤ ± 0.25%.
Bond Strength	C482	≥ 50 psi	≥ 200 psi
Breaking Strength	C648	≥ 250 lbf	≥ 400 lbf
Hardness (Mohs)	Scratch Test (Not regulated)	Range 0-10	≥ 7
Visible Abrasions Resistance for Glaze Tiles	C1027	No Requirement Range 0-5	Class 4
Frost Resistance	C1026	No samples must show alterations to surface	No Evidence of Damage
Chemical Resistance	C650	No Requirement Range E-A	Class A
Stain Resistance	C1378	No Requirement Range E-A	Class A*
DCOF Acutest	BOT 3000	≥ 0.42*	≥ 0.52*
Aesthetic Class/Shade Rating	Visual Evaluation Shade & Texture	No Requirement Range V0-V4	V2

DCOF\*: all values given are for matte or honed material. No values are given for polished material. Dolce Italia does not recommend polished surfaces in areas subject to exposure from grease, oil or water.

## Venatura Collection Packaging Information

12" x 72"	4 pcs/box	23.352 sf/box	18 boxes/pallet
-----------	-----------	---------------	-----------------



FLOOR - meadow 12"x72"

DIVENCAT01

**DOLCE ITALIA**

Production facility  
238 Porcelain Tile Drive  
Crossville, TN 38555  
USA



[www.dolceitaliatile.com](http://www.dolceitaliatile.com)  
[info@dolceitaliatile.com](mailto:info@dolceitaliatile.com)

